

# HAIKU<sup>®</sup>

Enjoy the perfect blend of form and function with the expertly crafted Haiku from Big Ass Fans. With advanced features including automated SenseME™ technology, eight premium finishes, and available LED downlight and color-changing Chromatic Uplight, Haiku offers an unprecedented level of style, comfort, and control. Make the most of your favorite indoor and covered outdoor spaces with the whisper-quiet operation and world-class airflow from the world's most efficient smart fan.



## KEY FEATURES

- ▶ **Three precision-balanced airfoils** in Moso bamboo or aircraft-grade aluminum
- ▶ **Built-in SenseME™ technology** for automated convenience and efficiency
- ▶ **LED downlight and Chromatic Uplight with optional UV-C** available together or separately
- ▶ **Permanent-magnet motor** for whisper-quiet, energy-efficient airflow
- ▶ **Superior airflow control** with bluetooth remote, seven speed settings, mobile app, and more
- ▶ **Indoor and covered outdoor models** available

### DIAMETER

**52, 60, 84 IN**  
(132, 152, 213 CM)

### MOUNTING

- UNIVERSAL  
- LOW PROFILE

### CONTROL

- BLUETOOTH REMOTE    - 0-10V  
- VOICE INTEGRATION    - MOBILE APP  
- OPTIONAL WIRED WALL CONTROL

### WARRANTY

UP TO  
**5 YEARS**  
INDOOR

UP TO  
**3 YEARS**  
OUTDOOR



**BIG ASS FANS<sup>®</sup>**

## DISCOVER MORE ABOUT HAIKU


Learn more at [bigassfans.com/fans/haiku/](https://bigassfans.com/fans/haiku/) or call our comfort experts for a free custom quote.

# HAIKU

THE WORLD'S SMARTEST FAN JUST GOT BRIGHTER.



## Airfoil Finishes



## Hardware Finishes




Construction Features						
Airfoils	Motor <sup>1</sup>	Controls <sup>2</sup>	Onboard Sensors <sup>3</sup>	Mounting	Environment <sup>4</sup>	Accessories
Bamboo (indoor only) or aircraft-grade aluminum	High-efficiency, brushless DC/EC motor Fan Eco Mode	Bluetooth remote Big Ass Fans mobile app Voice control 0–10 V (optional)	Temperature, humidity, and motion sensors enable SenseME Technology	Flat or sloped ceilings 8 ft (2.4 m) or taller Maximum slope: 33°	Indoor or covered damp locations	Haiku Light Kit Chromatic Uplight (indoor only) UV-C Uplight (indoor only) 0–10 V Module Extended downrod lengths Stabilizer Kit

Ordering Information									
Diameter	Environment and Mounting <sup>5,6</sup>	Airfoil Material	Hardware Finish	Airfoil Finish <sup>7</sup>	Motor	Downrod	Region	Downlight	Uplight <sup>6</sup>
52 inch: MK-HK4-04 60 inch: MK-HK4-05 84 inch: MK-HK4-07	84 inch Indoor, Universal: 1806 Damp, Universal: 1906	Aluminum: Blank Bamboo: 01	Black: A258 White: A259 Satin Nickel: A470 Oil-Rubbed Bronze: A471	Black: F258 White: F259 Caramel Bamboo <sup>7</sup> : F221 Cocoa Bamboo <sup>7</sup> : F222 Natural Bamboo <sup>7</sup> : F860 Caramel Wood Grain: F504 Cocoa Wood Grain: F654 Driftwood <sup>7</sup> : F772 Satin Nickel: F470 Oil-Rubbed Bronze: F471 Brushed Aluminum: F531	US, CA, MX: G10 International: G11	12 inch: I12 20 inch: I20 32 inch: I32 Low Profile: Blank	US, CA, MX: Blank APAC: R03 GCC: R04	Downlight: S2 None: Blank	Uplight: S80 None: Blank
	52 and 60 inch Indoor, Low Profile: 2400 Damp, Low Profile: 2500 Indoor, Universal: 2406 Damp, Universal: 2506								




Shown with low profile mount



Compatible with universal mount only

## Bluetooth Remote



<sup>1</sup> Activate Fan Eco Mode in Big Ass Fans app to fully leverage the energy savings from your ceiling fan.  
<sup>2</sup> Voice control requires an Amazon Alexa-enabled device or the Google Assistant.  
<sup>3</sup> SenseME Technology and the Haiku mobile app are supported by Android<sup>™</sup> and iOS<sup>®</sup>.  
<sup>4</sup> Damp-rated fans installed in covered outdoor locations must have fixed/permanent full overhead coverage extending at least two feet (61 cm) out from the airfoil tips on all sides. The included fan stabilizer must be installed.  
<sup>5</sup> 52- and 60-inch indoor fans with both the uplight and downlight must use the universal mount, indoor only (1806). Low profile mount not available for 84-inch fans.  
<sup>6</sup> Uplight not available on damp-rated fans. Compatible with universal mount only. Light kits purchased separately.  
<sup>7</sup> Bamboo finishes are indoor use only.

Lead times may vary.  
 Warranty period and terms vary by country and application.



USA  
 BIGASSFANS.COM  
 877-244-3267


CANADA  
 BIGASSFANS.COM  
 844-924-4277

AUSTRALIA  
 BIGASSFANS.COM/AU  
 1300 244 277


SINGAPORE  
 BIGASSFANS.COM/SG  
 65 6709 8500

# HAIKU

THE WORLD'S SMARTEST FAN JUST GOT BRIGHTER.



Low Profile Mount



Universal Mount

### Universal Mount Downrod Lengths

Downrod (A) <sup>1</sup>	Included Downrod (Select at Time of Order)			Optional Downrods (Ordered Separately)		
	12 in. (305 mm)	20 in. (508 mm)	32 in. (813 mm)	7 in. (178 mm)	48 in. (1219 mm)	60 in. (1524 mm)
Fan Height (B) <sup>2</sup>	21 in. (533 mm)	29 in. (737 mm)	41 in. (1041 mm)	16 in. (406 mm)	57 in. (1448 mm)	69 in. (1753 mm)
Ceiling Height	9–10.5 ft (2.7–3.2 m)	10.5–11 ft (3.2–3.4 m)	11–13 ft (3.4–4 m)	9–11 ft (2.7–2.9 m)	13–14 ft (4–4.3 m)	>14 ft (>4.3 m)

### Fan Specifications — Aluminum Airfoils

Diameter	Mount	Weight <sup>3</sup>	Max Speed	Airflow Min/Max	Watts Min/Max	Operating Voltage	Ambient Operational Temperature	Sound Level <sup>4</sup>
52 in. (132 cm)	Low Profile	16.5 lb (7.5 kg)	177 RPM	427 / 5,172 cfm	2.4 / 15.1 W	100–240 VAC, 1 $\phi$ , 50–60 Hz	32° to 104° F (0° to 40° C)	<35 dba at max speed
	Universal	15.5 lb (7 kg)	199 RPM	342 / 6,145 cfm	2.5 / 20.1 W			
60 in. (152 cm)	Low Profile	18.5 lb (8.4 kg)	174 RPM	403 / 6,062 cfm	2.4 / 15.9 W			
	Universal	17.5 lb (8 kg)	199 RPM	509 / 7,281 cfm	2.5 / 22.4 W			
84 in. (213 cm)	Universal	26 lb (11.8 kg)	128 RPM	2,768 / 17,369 cfm	3.8 / 42.3 W			

### Fan Specifications — Bamboo Airfoils<sup>5</sup>

Diameter	Mount	Weight <sup>3</sup>	Max Speed	Airflow Min/Max	Watts Min/Max	Operating Voltage	Ambient Operational Temperature	Sound Level <sup>4</sup>
52 in. (132 cm)	Low Profile	14 lb (6.4 kg)	177 RPM	331 / 5,731 cfm	2.4 / 19.5 W	100–240 VAC, 1 $\phi$ , 50–60 Hz	32° to 104° F (0° to 40° C)	<35 dba at max speed
	Universal	13 lb (5.9 kg)	200 RPM	371 / 6,973 cfm	3.5 / 28.92 W			
60 in. (152 cm)	Low Profile	16 lb (7.3 kg)	175 RPM	479 / 6,319 cfm	2.3 / 16.2 W			
	Universal	15 lb (6.8 kg)	199 RPM	596 / 7,632 cfm	2.6 / 25.1 W			
84 in. (213 cm)	Universal	21 lb (9.5 kg)	128 RPM	2,260 / 15,081 cfm	3.6 / 32.9 W			



#### Automate your comfort with SenseME

SenseME automatically adjusts your fans and lights to keep your home feeling and looking exactly the way you want it to. Download the Big Ass Fans mobile app to group multiple fans and set your comfort preferences for hands-free control.

<sup>1</sup> Optional downrod lengths packaged separately. The 7 in. (178 mm) downrod is not available for 84-inch (2134 mm) fans. 60 in. (1524 mm) is the longest downrod available.

<sup>2</sup> Fan heights do not include the Haiku Light kit. Add 0.8 in. (20 mm) for 84-inch (2134 mm) diameter fans.

<sup>3</sup> The precise fan weight will vary based on individual component weights and finishing.

<sup>4</sup> Actual results of sound measurements in the field may vary due to sound reflective surfaces and environmental conditions.

<sup>5</sup> Bamboo airfoils must be installed in indoor, dry environments only.

Lead times may vary. Warranty period and terms vary by country and application.



USA  
BIGASSFANS.COM  
877-244-3267

CANADA  
BIGASSFANS.COM  
844-924-4277

AUSTRALIA  
BIGASSFANS.COM/AU  
1300 244 277

SINGAPORE  
BIGASSFANS.COM/SG  
65 6709 8500