TEXAS EDITION HUB COVER



Powerfoil® X3.0, Powerfoil® D

READ AND SAVE THESE INSTRUCTIONS



TO REDUCE THE RISK OF FIRE, ELECTRIC SHOCK, OR INJURY TO PERSONS, OBSERVE THE FOLLOWING:

MARNING: Disconnect power to the installation location before installing the fan and hub cover.

MARNING: Ensure there are no persons below the fan during installation.

HARDWARE



Static Tube Retainer Clip



Mounting Plate



7/8-14 Nylock Nut



(3) 8-32 x 3/4" Socket Head Cap Screws




Cable Hanger


1. INSTALL FAN

Install fan according to fan Quick Installation Guide. Skip the hub cover installation step. For ease of installation, Big Ass Fans recommends installing the Texas Edition hub cover before installing the airfoils.


2. INSTALL STATIC TUBE




2. INSTALL STATIC TUBE




3. INSTALL MOUNTING PLATE



4. POSITION HUB COVER




5. SECURE HUB COVER



6. INSTALL SAFETY CABLE

Insert safety cable into small hole in center of hub cover and pull up through static tube until taut. Wrap cable tightly around motor frame, leaving as little slack as possible. Slide cable hanger onto safety cable until it touches the top of the static tube. Trim or secure excess safety cable so that it does not come into contact with the rotating fan hub.

Powerfoil X3.0



Powerfoil D

